

TP-Link TL-WR841N draadloze router Fast Ethernet Single-band (2.4 GHz) Wit

Merk : TP-Link

Artikelcode: TL-WR841N V11

Productnaam : TL-WR841N

TP-Link TL-WR841N. Wifi-band: Single-band (2.4 GHz), Wifi-standaard: Wi-Fi 4 (802.11n), WLAN gegevensoverdrachtsnelheid (max): 300 Mbit/s. Interfacetype Ethernet LAN: Fast Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100 Mbit/s, Bekabelingstechnologie: 10/100Base-T(X). Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, 152-bit WEP, IPSEC, WDS, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS. Ondersteunde netwerkprotocollen: IPv4, IPv6. Type product: Router om neer te zetten, Kleur van het product: Wit



WAN-verbinding		Protocollen	
Ethernet WAN *	✓	DHCP client	✓
DSL WAN *	✗	DHCP server	✓
SIM-kaartsleuf *	✗	Universal Plug and Play (UPnP)	✓
3G/4G USB modem compatibiliteit *	✗	Ondersteunde netwerkprotocollen	IPv4, IPv6
Draadloos LAN		Design	
Wifi-band *	Single-band (2.4 GHz)	Kleur van het product	Wit
Wifi-standaard *	Wi-Fi 4 (802.11n)	Aan/uitschakelaar	✓
WLAN gegevensoverdrachtsnelheid (max) *	300 Mbit/s	Type product *	Router om neer te zetten
Wi-Fi-standaarden	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Inhoud van de verpakking	
Netwerk		Meegeleverde kabels	LAN (RJ-45)
Ethernet LAN *	✓	Inclusief AC-adapter	✓
Interfacetype Ethernet LAN *	Fast Ethernet	Snelstartgids	✓
Ethernet LAN, data-overdrachtsnelheden	10,100 Mbit/s	Antenne	
Bekabelingstechnologie	10/100Base-T(X)	Antenne-ontwerp *	Extern
Netwerkstandaard	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Aansluiting antenne	RP-SMA
Port forwarding	✓	Antenne versterkingsniveau (max)	5 dBi
VPN eigenschappen	PPTP, L2TP, IPsec	Antennas quantity	2
Mobiel netwerken		Afneembare antennes	✓
3G	✗	Zendvermogen	20 dBmW
4G	✗	Kenmerken	
Poorten & interfaces		Certificering	CE, FCC, RoHS
Aantal Ethernet LAN (RJ-45)-poorten *	4	Energie	
USB-poort *	✗	Type stroombron *	AC
Geheugenkaart slot(s)	✗	Spanning	9 V
Aansluiting voor netstroomadapter	✓	Output current	0,6 A
Beheerfuncties		Power over Ethernet (PoE)	✓
Quality of Service (QoS)	✓	Eisen aan de omgeving	
Reset button	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
WPS Push Button Security	✓	Temperatuur bij opslag	-40 - 70 °C
		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
		Luchtvochtigheid bij opslag	5 - 90 procent

Beveiliging		Minimale systeemeisen	
Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, 152-bit WEP, IPSEC, WDS, WPA, WPA-PSK, WPA2, WPA2-PSK, WPS		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98, Windows 98SE, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Firewall	✓		
Toegang voor gasten	✓		
Stateful Packet Inspection (SPI)	✓		
DoS aanval preventie	✓		
Filtratie	✓		
MAC adres filtering	✓		
DMZ support	✓		
		Ondersteunt Windows	
		Ondersteunt Linux	✓
		Ondersteunt Mac-besturingssysteem	✓
		Gewicht en omvang	
		Breedte	192 mm
		Diepte	134 mm
		Hoogte	33 mm

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-JUN-2024. Prints or copies of Information are only valid on the printed Publication date